

## Electrical Requirements

**⚠ WARNING:** Construction and wiring must comply with local building codes and other applicable regulations to reduce the risk of fire, electric shock and injury to persons.

**⚠ WARNING:** To reduce the risk of fire, electric shock or injury to persons, always use a licensed electrician.

**! NOTE:** A dedicated, properly fused 13 Amp circuit is required, rated for the appropriate voltage (230-240V). An isolation switch should also be incorporated in cases where the product plug is inaccessible after installation.

### Technical Information

Rating : 230-240V~50Hz

Heat Output		230V	-	240V	
Nominal Heat Output	$P_{Nom}$	1.8	-	1.9	kW
Minimum Heat Output	$P_{min}$	0.9	-	0.9	kW
Maximum Continuous Heat Output	$P_{max,c}$	1.8	-	1.9	kW



### Auxiliary Electricity Consumption

In Standby Mode	$el_{SB}$	0.5	-	0.5	W
-----------------	-----------	-----	---	-----	---

## Product Dimensions

Figure 1

IGNITE EVOLVE 50	1278 mm
IGNITE EVOLVE 60	1532 mm
IGNITE EVOLVE 74	1887 mm
IGNITE EVOLVE 100	2548 mm



IGNITE EVOLVE 50	1306 mm
IGNITE EVOLVE 60	1560 mm
IGNITE EVOLVE 74	1941 mm
IGNITE EVOLVE 100	2576 mm

